

PROCEEDINGS OF THE PRE-BID MEETING HELD ON 03.05.2024



BENGALURU METROPOLITAN TRANSPORT CORPORATION
CENTRAL OFFICES, K.H.ROAD, SHANTINAGAR, BENGALURU-560 027

PROCEEDINGS OF THE PRE-BID MEETING HELD ON 03.05.2024 IN RESPECT
OF PROCUREMENT OF LIQUID UREA (AUS-32)

Ref: Tender No.BMTC/2023-24/IND0055

Members Present:

- 1) The Chief Mechanical Engineer, BMTC.
- 2) Controller of Stores and Purchases, BMTC.
- 3) Dy Chief Accounts Officer, BMTC.

Prospective Bidders Present:

- 1) Sri.Kadiresan P K, representative of M/s.Sai Baba Polymer Technologies Pvt Ltd.
- 2) Sri. Ankit Aggarwal, representative of M/s.Greenox oils Pvt Ltd.
- 3) Sri. Joy Joseph, representative of M/s.Rosmerta Road Safety Pvt Ltd.

1. The pre-bid meeting was held on 03.05.2024 in the presence of the COS&P, DyCAO, under the Chairmanship of the CME, BMTC.
2. The COSP, BMTC welcomed the representative of the prospective bidders and enquired the bidders regarding any queries about the Pre-qualification criteria and other terms and conditions of the tender documents.
3. Mr.T Sri.Kadiresan P K, representative of M/s.Sai Baba Polymer Technologies Pvt Ltd has informed the committee that currently, lot of substandard liquid urea products are available with cheaper price in the market. Hence, Prequalification criteria of the tender i.e "Manufactures of liquid urea with average annual turnover of Rs.20.00 crores during preceding continuous three years and Manufactures of Liquid urea with

PROCEEDINGS OF THE PRE-BID MEETING HELD ON 03.05.2024

VDA license are eligible to participated in the tender", may leads to supply of poor quality product to your esteemed corporation.

4. The COSP informed the representative of the firm that the above PQ criteria were included in the tender documents to ensure wider participation and to get competitive price. Further, COSP also informed the representatives of the firm that the random samples from the supplies of selected bidder will be sent for testing to CIRT, Pune as per tender specification to ensure, whether the product meet the specifications as prescribed in the tender documents. In case of failure of samples in the test penalty will be calculated to the extent of charges, administrative/ incidental charges etc., will be levied and recovered from the pending bills after intimating the same to the supplier. In case, pending bills are not available, the firm should reimburse the same in order to settle the claim. In case of failure of 10% of the samples, then the firm will be barred from participating in the two future tenders.
5. Mr.T Sri.Kadiresan P K, representative of M/s.Sai Baba Polymer Technologies Pvt Ltd has informed the committee that the GoI vide its notification no.SO 993(E) dtd.26.02.2024 had made BIS certifications mandatory for Urea/Diesel Exhaust Fluids Manufactures within 180 days from the date of said notification.
6. The COSP informed that the GoI had given 180 days time for certification and hence, same will consider in the future tenders.
7. Mr Sri. Joy Joseph, representative of M/s.Rosmerta Road Safety Pvt Ltd wants to know that whether they need to submit Audited Statement of Accounts (Profit & Loss Account and Balance Sheet) for the year 2020-21, 2021-22 and 2022-23 as they are the manufacturer of liquid urea and having the valid VDA certificate.
8. The COSP informed that if firm is manufacturer of liquid urea and has valid VDA certificate, there is no need to submit Audited Statement of Accounts. Instead they need to submit valid VDA License documents.

PROCEEDINGS OF THE PRE-BID MEETING HELD ON 03.05.2024

9. Mr. Joy Joseph, representative of M/s.Rosmerta Road Safety Pvt Ltd has requested to allow MSME/ Start up certificate instead of NSIC certificate for exemption of EMD payments.
- 10.The COSP informed that as per the circular no.FD.850 exp-12/15 dtd.15.12.2016 issued by Finance Department, GoK, only MSME registered with NSIC under a single point vender registration scheme are exempted from the EMD payment. Hence, NSIC Certificate is required.
- 11.Mr Sri. Joy Joseph, representative of M/s.Rosmerta Road Safety Pvt Ltd has requested to clarify what is the difference between Manufacturers of Liquid Urea and Manufacturers of Liquid Urea with VDA License.
- 12.The COSP informed that the tender is floated with following PQ criteria:
- a. OEM's like Tata, Ashok Leyland, Eicher, and Volvo are eligible to participate in the tender.
OR
 - b. Suppliers to OEM's (OEM's namely Tata, Ashok Leyland, Eicher, Volvo) are eligible to participate in the tender
OR
 - c. PSU OMC's (Oil Marketing/ Manufacturing Companies) like IOCL, HPCL, BPCL, MRPL, Balmer Lawrie are eligible to participate in the tender
OR
 - d. Manufacturers of Liquid urea with average annual turnover of Rs.20.00 crores during preceding continuous three years (i.e., 2020-21, 2021-22, 2022-23).
OR
 - e. Manufacturers of Liquid urea with VDA License are eligible to participate in the tender.
- 13.The tenderer should meet any one of the above criteria. If the bidder claiming under "the Manufacturers of Liquid urea with average annual turnover of Rs.20.00 crores during continuous three years (i.e.,2020-21, 2021-22, 2022-23), they should submit document showing status of the manufacturer of liquid urea and Audited Statement of

PROCEEDINGS OF THE PRE-BID MEETING HELD ON 03.05.2024

Accounts i.e., Manufacturing/Trading and Profit & Loss Account, Balance Sheets for all the three years & CA certificate. If the bidder participated under "Manufacturers of Liquid urea with VDA License", they should submit document they have to submit document showing status of the manufacturer of liquid urea and valid VDA license.

14. The meeting concluded with thanks to the chair.

COSP

CAO

CME